

What is Interaction Design?

From Preece, Rogers & Sharp's *Interaction Design*
And Norman's *The Design of Everyday Things*

029511-1
2013년 가을학기
9/12/2013
박경신

Good and Bad Design

- A central concern of interaction design is to develop interactive product that are usable.
 - Usable = easy to learn + effective to use + enjoyable experience
- A good way to start to think about how to design a usable interactive product is to compare examples.
- Bad examples are often more instructive
 - www.baddesigns.com
 - Interface Hall of Shame
<http://homepage.mac.com/braster/iarchitect/shame.htm>

2

Bad Design: Elevator Controls


- Elevator controls and labels on the bottom row all look the same, so **it is easy to push a label by mistake instead of a control button**



- People do not make same mistake for the labels and buttons on the top row. Why not?

From: www.baddesigns.com


Bad Design: Vending Machine



- One needs to **push button first** to activate reader
- Normally, one **inserts a bill** first before making selection
- Contravenes well known convention

From: www.baddesigns.com

Good Design: Marble Answering Machine



- Marble answering machine (Bishop, 1995)
 - When one leaves a message, a marble comes out and stays in the tray
 - One can check a message by placing a marble on the speaker.
- Based on how everyday objects behave
- Easy, intuitive and a pleasure to use
- Only requires one-step actions to perform core tasks

Good and Bad Design



- What is wrong with the remote on the right?
- Why is the TiVo remote so much better designed?
 - Peanut shaped to fit in hand
 - Logical layout and color-coded, distinctive buttons
 - Easy to locate buttons

What to Design

- Need to take into account:
 - Who the **users** are
 - What **activities** are being carried out
 - **Where** the interaction is taking place
- Need to optimize the interactions users have with a product
 - So that they match the users' activities and needs
- Design decisions based on **understanding users' needs**
 - Know what people are **good and bad** at
 - Consider what might help people **in the way they currently do things**
 - Think through what might provide **quality user experiences**
 - **Listen** to what people **want** and get them **involved**
 - Use tried-and-tested user-centered methods

What is Interaction Design?

- "Designing interactive products to support the way people communicate and interact in their everyday and working lives"
 - Sharp, Rogers and Preece (2007)
- "The design of spaces for human communication and interaction"
 - Winograd (1997)

Interaction Design?

- Number of other terms used emphasizing what is being designed, e.g.
 - User interface design
 - Software design
 - User-centered design
 - Product design
 - Web design
 - Experience design (UX)
 - Interactive system design
- Interaction design is the umbrella term covering all of these aspects
 - Fundamental to all disciplines, fields, and approaches concerned with researching and designing computer-based systems for people

What do professionals do in the Interaction Design business?

- Interaction designers
 - People involved in the design of all the interactive aspects of a product
- Usability engineers
 - People who focus on evaluating products, using usability methods and principles
- Web designers
 - People who develop and create the visual design of websites, such as layouts
- Information architects
 - People who come up with ideas of how to plan and structure interactive products
- User experience designers (UX)
 - People who do all the above but who may also carry out field studies to inform the design of products

The User Experience

- How a product behaves and is used by people in the real world
 - The way people feel about it and their pleasure and satisfaction when using it, looking at it, holding it, and opening or closing it
 - "Every product that is used by someone has a user experience: newspapers, ketchup bottles, reclining armchairs, cardigan sweaters." (Garrett, 2003)
- Down to the sensual effect small details have on them
 - Such as how smoothly a switch rotates or the sound of a click and the touch of a button
- Cannot design a user experience, only design for a user experience

The iPod Nano Touch



Why was the iPod user experience such a success?

- Quality user experience from the start
- Simple, elegant, distinct brand, pleasurable, must have fashion item, catchy names, cool, etc.,


Design Principles

- Generalizable abstractions for thinking about different aspects of design
- The do's and don'ts of interaction design
- Suggest to designers what to provide and what to avoid at the interface
- Intended to help designers explain and improve the design
- Derived from a mix of theory-based knowledge, experience and common-sense

The Design of Everyday Things

- Don Norman pioneering book [1988]
- Originally published as *The psychology of everyday things*
- Motivates and explains usability principles

Norman, Donald A. (2002). *The Design of Everyday Things*. New York: Basic Books.



5 Design Principles

- Visibility
- Feedback
- Constraints
- Consistency
- Affordance

Explained in Norman, Donald A. (2002). The Design of Everyday Things. New York: Basic Books.

Two Conceptual Models

- Two conceptual models
 - The designer's conceptual model
 - The user's conceptual model
- The system image is the visible part of a device.
 - The designer only talks to the user through the system image.
 - If the system image doesn't make the design model clear then the user will create a different model through their interactions.
- Jef Raskin **"To the user the interface is the product."**

Why is the basic Automobile Easy to Figure out?


- Things are **visible**
- **Good mappings** between controls and things controlled
 - Easy to determine relationships between actions and results, controls and their effects, system state and what's visible
- **Good conceptual model**
 - User given consistent in presentation of operations and results
- **Good feedback**
 - Immediate and obvious effect

Visibility

- Know state of device and actions available
- Natural design: No explanations needed
- The more visible functions are, the more likely users will be able to know what to do next.
- When functions are "out of sight", it makes them more difficult to find and know how to use.

Visibility

- Poor visibility
 - Boeing 757 Flight Management System did not show names of beacons when selecting where to navigate
- Good visibility
 - Google search page makes it clear where you can enter search text



Visibility

www.baddesigns.com/elcard.html

□ Getting the elevator to go to your floor

- This is a control panel for an elevator of a nice hotel in Los Angeles.
- How does it work?
- Push a button for the floor you want?
- Nothing happens. Push any other button? Still nothing. What do you need to do?
- **It is not visible as to what to do!**
- **You need to insert your room card in the elevator before it will work.**
- You think you need to slide the card in the vertical crack?
- You try sliding the card and pushing the button. It doesn't work.
- You flip the card over and try again. This time it works!



Visibility

www.baddesigns.com/elcard.html

□ How would you make this action more **visible**?

- Make the card reader more obvious
- Provide an auditory message, that says what to do
- Provide a big label next to the card reader that flashes when someone enters
- **Make relevant parts visible**
- **Make what has to be done obvious**

Visibility

□ Here are some things that would have made it **easier to see the "push to start" buttons**

- Make it larger
- Using colors that contrasted with the background
- Removing some of the nearby stickers and decals
- Making it more centrally located on the gas pump
- Using a real 3D button



www.baddesigns.com/pushto.html

Feedback

- Sending information back to the user about what action has been done and what has been accomplished
- Includes tactile, verbal, sound, highlighting, animation and combinations of these

- E.g. when screen button clicked on provides **sound** or **red highlight feedback**

Previous → "ccclchhk"

Previous → Previous


- Needs to be **immediate**
 - Imagine writing with a pen and waiting for the ink to show up on paper?
- Helps users detect errors
- Helps users explore technologies

Feedback

- Poor feedback
 - Boeing 757 Flight Management System provided no feedback on what beacon was selected
- Good feedback
 - Typing on keyboard (assuming no delays)

Feedback

- Controls with **conflicting feedback**. More coffee or less?
 - The top switch turns the coffee maker on/off.
 - When it's on, its light goes on. No light appears when the coffee maker is off.
 - The bottom switch selects the quantity of coffee desired.
 - The problem is with the light on this bottom switch. When its light goes on, for the smaller quantity or for the larger quantity?
 - People naturally expect more coffee to be associated with more light (light on) and less coffee to be associated with less light (light off)



www.baddesigns.com/coffee_rs2.html

Constraints

- Restricting the possible user actions that can be performed
- Helps prevent user from selecting incorrect options and thereby reduces the chance of making a mistake
- Three main types (Norman, 1999)
 - **Physical**
 - **Cultural**
 - **Logical**

Physical Constraints

- Refer to the way physical objects restrict the movement of things
 - E.g. only one way you can insert a key into a lock
- How many ways can you insert a CD or DVD disk into a computer?
- How physically constraining is this action?
- How does it differ from the insertion of a floppy disk into a computer?

Physical Constraints

- Labels that look like push buttons
 - Elevator controls and labels on the bottom row all look the same. So, it is easy to push a label by mistake instead of a control button
 - **People do not make same mistake for the labels and push buttons on the top row. Why not?**



www.baddesigns.com/elecon.html

Logical Constraints

- Rely on people's understanding of the way the world works
- Exploits people's everyday common sense reasoning about the way the world works
- Making actions and their effects obvious enables people to logically deduce what further actions are required
- E.g. Disabling menu options when not appropriate for the task in hand

Logical Constraints

- Things that don't work the way you expect. Out of order?

- Need to **push button first** to activate the bill reader
- **Normally insert money first** before making selection
- **Printed instructions, even obvious ones, aren't going to be read by some people.**
- Contravenes well known convention




www.baddesigns.com/parking2.html

Cultural Constraints

- Learned arbitrary conventions like red triangles for warning



- Which are universal or which are culturally specific?



Cultural Constraints

- What do these signs mean? Road sign in Mexico



- What do these symbols mean? Controls on a rental car (intended to imitate European designs)



www.baddesigns.com/autoicons.html

Constraints

- Poor use of constraints
 - Tokyo Stock Exchange software did not prevent trader from making an outrageous trade
 - Command line systems force you to remember spelling and syntax of commands
- Good use of constraints
 - Click on icons to invoke commands
 - Gray out unavailable actions


Mappings

- Natural mappings: No explanations needed




Mappings

- Relationship between controls and their movements and the results in the world
- Why is this a poor mapping of control buttons?



- Why is this a better mapping?



- The control buttons are mapped better onto the sequence of actions of fast rewind, rewind, play and fast forward

Mappings

- Which controls go with which burners?



A B C D


- Why is this a better design?



www.baddesigns.com/ranges.html

Mappings

- Where do you plug in the mouse & keyboard?
- Top or bottom connector?
- Do the color coded icons help?



<http://www.baddesigns.com/mouseconnector.html>

Mappings

- How to design them more logically?
 - A provides direct adjacent mapping between icon and connector
 - B provides color coding to associate the connectors with the labels



Mappings

- User **intentions** to available **actions**
 - Is there a natural mapping between what users want to do and what appears possible?
 - Do users stare at technology for sometime before they take action?
 - Or do they immediately know what to do?
 - Simplicity can help
- Poor mapping
 - Stove top controls
 - Clustered light switches
- Good mapping
 - Consistent play, rewind, fast forward, stop controls on media devices
 - Clearly visible and labeled power buttons

Mappings

- ❑ Available **actions** to perceived system **state**
 - The user should not be surprised with what happened after they completed an action
 - Technologies should behave in expected ways
 - Quick feedback is very important
 - Problems more likely if the mappings between user intentions and available actions were not good
- ❑ Poor mapping
 - Pull from a door knob when you were supposed to push
 - Try to close an application that won't close
- ❑ Good mapping
 - Press gas pedal, feel car accelerate

Mappings

- ❑ **Perceived system state** to **actual system state**
 - Perceived system state to actual system state
 - Users think the technology is doing one thing when it really is doing something else
 - Users unlikely to quickly detect problems
- ❑ Poor mapping
 - 757 Flight Management System had pilots thinking they were traveling towards different beacon
- ❑ Good mapping
 - Well-implemented progress bars

Mappings

- ❑ **Actual system state** to user **intentions**
 - Does the system allow states that users would never want?
 - Difficult to implement
 - Important for critical systems
- ❑ Poor mapping
 - 757 Flight Management System did disengage brakes when accelerating and pulling up to clear mountain
 - Tokyo Stock Exchange software sold stocks far below market prices (and more than were available)
- ❑ Good mapping
 - Voting systems that allow you to select only one candidate for President

Consistency

- ❑ Design interfaces to have **similar operations** and use **similar elements** for achieving **similar tasks**
- ❑ For example,
 - always use ctrl key plus first initial of the command for an operation – ctrl+C, ctrl+S, ctrl+O
- ❑ Main benefit is consistent interfaces are **easier to learn and use**
 - Users have to learn only a single mode of operation that is applicable to all objects

When Consistency Breaks Down

- What happens if there is more than one command starting with the same letter?
 - E.g. save, spelling, select, style
- Have to find other initials or combinations of keys, thereby breaking the consistency rule
 - E.g. ctrl+S, ctrl+Sp, ctrl+shift+L
- Increases learning burden on user, making them more prone to errors
- A design solution is to create categories of commands that can be mapped into subsets of operations
 - E.g. All commands that are concerned with file operations (save, open, close) are placed together in the same file menu

Internal and External Consistency

- Internal consistency refers to designing operations to behave the same within an application
 - But, difficult to achieve with complex interfaces
- External consistency refers to designing operations, interfaces, etc., to be the same across applications and devices
 - Very rarely the case, based on different designer's preference

Keypad Numbers Layout

- A case of external inconsistency

(a) phones, remote controls

1	2	3
4	5	6
7	8	9
	0	

(b) calculators, computer keypads

7	8	9
4	5	6
1	2	3
0		

Consistency

- Poor consistency
 - Boeing 757 Flight Management System almost always selected intended beacon when entering first letter
- Good consistency
 - Home button in web browsers always takes you home, no matter what page you are looking at

Affordances

- Concept from **Gibson's** ecological psychology [1977]
- **Norman** refers to **“perceived or actual properties of a thing, primarily those fundamental properties that determine just how the thing could possibly be used”** [1988]
 - Refers to an attribute of an object that allows people to know how to use it
 - **Plates (on doors) are for pushing**
 - **Knobs are for turning**
 - **Slots are for inserting things into**
- Since has been much popularised in interaction design to discuss how to design interface objects
 - **Scrollbars to afford moving up and down**
 - **Icons to afford clicking on**

What does 'Affordance' have to offer Interaction Design?

- Interfaces are virtual and do not have affordances like physical objects
- Norman argues it does not make sense to talk about interfaces in terms of 'real' affordances
- Instead interfaces are better conceptualised as **'perceived' affordances**
 - Learned **conventions of arbitrary “mappings between action and effect”** at the interface
 - Some mappings are better than others

Affordances

- Physical Affordances
 - How do the following physical objects afford? Are they obvious?




Affordances

- Virtual Affordances
 - How do the following screen objects afford?
 - What if you were a novice user?
 - Would you know what to do with them?



Affordances

- ❑ Poor affordances
 - Doors push or pull?
 - Where to push?
- ❑ Good affordances
 - Buttons that appear clickable



www.baddesigns.com/doorhand.html
www.baddesigns.com/doors.html

Heuristics

- ❑ Design principles commonly referred to as heuristics
 - Interpreted in the design context, drawing on past experience of, how to design feedback and what it means for something to be consistent
- ❑ Usability Principles [Nielsen, 2001]
 - Visibility of system status
 - Match between system and the real world
 - User control and freedom
 - Consistency and standards
 - Help user recognize, diagnose, and recover from errors
 - Error prevention
 - Recognition rather than recall
 - Flexibility and efficiency of use
 - Aesthetic and minimalist design
 - Help and documentation

Heuristics

- ❑ Visibility of system status
 - Keep users informed about what is going on, through providing appropriate feedback within reasonable time
- ❑ Match between system and real world
 - Speak user's language rather than system-oriented language
- ❑ User control and freedom
 - User should feel in control
 - Stop technology from doing something
 - Undo
- ❑ Consistency and standards
 - Avoid making users wonder whether different words, situations or actions mean the same thing

Heuristics

- ❑ Help users recognize, diagnose, recover from errors
 - Use feedback, visible system status, undo
- ❑ Error prevention
 - Make it difficult for errors to occur
- ❑ Recognition rather than recall
 - Make objects, actions, options visible
- ❑ Flexibility and efficiency of use
 - Provide shortcuts for experts

Heuristics

- Aesthetic and minimalist design
 - Give more prominence to information and options more likely to be used
 - Don't waste space showing rarely needed information
 - Use technology to reduce task complexity
- Help and documentation
 - Easy to search
 - Provide concrete steps

Reference

- Preece, Rogers & Sharp, Interaction Design: Beyond Human-Computer Interaction (Ch1)
- Norman, The Design of Everyday Things
- <http://www.evl.uic.edu/aej/422/week01.html>
- <http://www.baddesigns.com/>