

Input and Interaction

Fall 2023

9/28/2023

Kyoung Shin Park
Computer Engineering
Dankook University

Overview

- Introduce the basic input devices
 - Physical input devices
 - Mouse, Keyboard, Trackball
 - Logical input devices
 - String, Locator, Pick, Choice, Valuator, Stroke device
- Input modes
 - Request mode
 - Sample mode
 - Event mode
- Devices & Event-driven programming
 - mouse, keyboard,..

Interaction

- ❑ One of the major advances in computer technology is that users can interact using computer screens.
- ❑ Interaction
 - The user takes action through an interactive device such as a mouse.
 - The computer detects user input.
 - The program changes its state in response to this input.
 - The program displays this new status.
 - The user sees the changed display.
 - The processes in which the user reacts to this change are repeated.


Graphical Input

- Input devices can be described either by
 - Physical properties
 - Mouse, Keyboard, Trackball
 - Logical properties
 - Characterized by upper interface with application program, not by physical characteristics
- Input modes
 - The way an input device provides an input to an application program can be described as a **measurement** process and device **trigger**.
 - Request mode
 - Sample mode
 - Event mode


Physical Input Devices




mouse




trackball




light pen



data tablet



joy stick



space ball

Physical Input Devices

- Physical input devices
 - Pointing devices
 - Allows the user to point to a location on the screen
 - In most cases, the user has more than one button to send a signal or interrupt to the computer.
 - Mouse, trackball, tablet, lightpen, joystick, spaceball
 - Keyboard devices
 - A device that returns a character code to a program
 - Keyboard

Relative Positioning Device

- Devices such as the data tablet return a position directly to the operating system
- Devices such as the mouse, trackball, and joy stick return incremental inputs (or velocities) to the operating system
 - Must integrate these inputs to obtain an absolute position
 - Rotation of cylinders in mouse
 - Roll of trackball
 - Difficult to obtain absolute position
 - Can get variable sensitivity

Logical Input Devices

- ❑ String device - keyboard
 - Provide **ASCII strings of characters** to the program
- ❑ Locator device – mouse, trackball
 - Provide **real world coordinate position** to the program
- ❑ Pick device – mouse button, gun
 - Return the object's **identifier(ID)** to the program
- ❑ Choice device – widgets, function keys, mouse button
 - Let the user choose one of **the options (menu)**
- ❑ Valuator – slide bars, joystick, dial
 - Provide **analog input (range of value)** to the program
- ❑ Stroke – mouse drag
 - Return **array of positions**

Input Modes

- Input devices contain a *trigger* which can be used to send a signal to the operating system
 - Button on mouse
 - Pressing or releasing a key
- When triggered, input devices return information (their *measure*) to the system
 - Mouse returns position information
 - Keyboard returns ASCII code


Request Mode

- ❑ In request mode, input measurement are not returned to the program until the user triggers the device.
- ❑ Standard for typical non-GUI program requiring character input
 - For example, when the C program's scanf function is used, the program stops while waiting for the terminal to type a character. Then, you can type and edit until you hit the enter-key(trigger).



Sample Mode

- Sample mode provides immediate input measures. As soon as the program encounters a function call, the measurement is returned. Therefore, no trigger is required.
- Example: getc function in C program



Event Mode

- ❑ Most systems have more than one input device, each of which can be triggered at an arbitrary time by a user.
- ❑ Each trigger generates an *event* whose measure is put in an *event queue* which can be examined by the user program.
- ❑ Use the callback function for a specific event.



Unity Input Class

- ❑ `Input.GetAxis("Mouse X"|"Mouse Y")` – mouse
- ❑ `Input.GetAxis("Horizontal"|"Vertical")` – joystick, WASD and arrow keys
 - `moveAmount = Input.GetAxis("Vertical") * speed`
 - `turnAmount = Input.GetAxis("Horizontal") * rotSpeed`
- ❑ `Input.GetButtonDown("Fire1"|"Fire2"|"Fire3")` – action-like events only
- ❑ `Input.GetMouseButtonDown(0|1|2)` – mouse button
 - `Vector3 mousePos = Input.mousePosition`
- ❑ `Input.GetKey(KeyCode.UpArrow|"up")` – holds down key
- ❑ `Input.GetKeyDown(KeyCode.Space|"space")`
- ❑ `Input.GetTouch(0|...|Input.touchCount)`
 - `Vector2 touchDeltaPos = Input.GetTouch(0).deltaPosition`

Keyboard Functions

- ❑ static bool GetAxis(string axisName)
 - Returns the value of the virtual axis identified by axisName.
- ❑ static bool GetKey(KeyCode key)
- ❑ static bool GetKey(string name)
 - Returns true while the user holds down the key
- ❑ static bool GetKeyDown(KeyCode key)
- ❑ static bool GetKeyDown(string name)
 - Returns true during the frame the user starts pressing down the key
- ❑ static bool GetKeyUp(KeyCode key)
- ❑ static bool GetKeyUp(string name)
 - Returns true during the frame the user releases the key

Keyboard Event Callback

- Call this function from the **Update()** function, since the state gets reset each frame.

```
public class Example : MonoBehaviour {  
    void Update() {  
        // The value is in the range -1 to 1  
        float translation = Input.GetAxis("Vertical") * speed;  
        float rotation = Input.GetAxis("Horizontal") * rotSpeed;  
  
        // ESC-key exits the program  
        if (Input.GetKeyDown(KeyCode.Escape)) {  
            Application.Quit();  
        }  
    }  
}
```

Mouse Functions

- ❑ static bool GetAxis(string axisName)
 - Returns the value of the virtual axis identified by axisName.
- ❑ static bool GetMouseButton(int button)
 - Returns whether the given mouse button is held down.
- ❑ static bool GetMouseButtonDown(int button)
 - Returns true during the frame the user pressed the given mouse button.
- ❑ static bool GetMouseButtonUp(int button)
 - Returns true during the frame the user releases the given mouse button.
- ❑ static Vector3 mousePosition
 - The current mouse position in pixel coordinates (read only)
- ❑ static Vector2 mouseScrollDelta
 - The mouse scroll delta (read only) -1~0~1


Mouse Event Callback

- Call this function from the **Update()** function, since the state gets reset each frame.


```
public class Example : MonoBehaviour {  
    void Update() {  
        // The value is in the range -1 to 1  
        float h = Input.GetAxis("Mouse X") * rotSpeed;  
        float v = Input.GetAxis("Mouse Y") * speed;  
  
        // left-mouse holds to print the mouse position  
        if (Input.GetMouseButton(0)) {  
            Debug.Log(Input.mousePosition);  
        }  
    }  
}
```

Mouse Positioning

- In Unity, the screen coordinate has the origin at the bottom-left corner, $x+$ is increasing to the right, $y+$ is increasing upwards.



2D screen coordinates



3D world space coordinates

Mouse Positioning

```
Vector3 worldPosition
```

```
// 2D mouse position -> 3D world position
```

```
void Update()
```

```
{
```

```
    Vector3 mousePos = Input.mousePosition; // Screen Space
```

```
    mousePos.z = Camera.main.nearClipPlane;
```

```
    worldPosition = Camera.main.ScreenToWorldPoint(mousePos);
```

```
}
```

Mouse Positioning

```
void OnGUI() {  
    Vector3 point = new Vector3();  
    Event  currentEvent = Event.current;  
    Vector3 mousePos = new Vector3();  
  
    // Get the mouse position from Event.  
    // Note that the y position from Event is inverted. (GUI Space) -> 2D screen space  
    mousePos.x = currentEvent.mousePosition.x;  
    mousePos.y = Camera.main.pixelHeight - currentEvent.mousePosition.y;  
    mousePos.z = Camera.main.nearClipPlane;  
    point = Camera.main.ScreenToWorldPoint(mousePos); // 2D screen -> 3D world  
  
    GUILayout.BeginArea(new Rect(20, 20, 250, 120));  
    GUILayout.Label("Screen pixels: " + Camera.main.pixelWidth + ":" +  
        Camera.main.pixelHeight);  
    GUILayout.Label("Mouse position: " + mousePos);  
    GUILayout.Label("World position: " + point.ToString("F3"));  
    GUILayout.EndArea();  
}
```