# **SOLID** Design Principles


514770-1
Fall 2020
9/15/2020
Kyoung Shin Park
Computer Engineering
Dankook University

#### S.O.L.I.D.: First 5 Principles of OOD


- Robert C. Martin collected 10 principles of Object Oriented Design.
  - The first 5 principles so called **SOLID** deal with **the design of classes**. This principles is for easy-to-understand, flexible, and easy-to-maintain software development.

Acronym	Principle	한글 명칭
SRP	Single Responsibility	단일 책임 원칙
OCP	Open-Closed	개방-폐쇄 원칙
LSP	Liskov Substitution	리스코프 치환 원칙
ISP	Interface Segregation	인터페이스 분리 원칙
DIP	Dependency Inversion	의존 역전 원칙

- A class should only have a single responsibility. In other words, it should have only one reason to change.
- Responsibility as a 'reason to change'
- **Gather** together those things that change for the same reason, and **separate** those things that change for different reasons.
- If there are too many features in a class, it makes difficult to maintain.




- Book class example
  - load() reads the Book information and store it in member variables
  - show() displays the book information on the console screen



- Book & BookManager class example
  - Book remove load() and show()
  - BookManager load() reads the Book information from a file and store it in member variables
  - BookManager show() displays the books on the console screen
  - If the program is no longer modified, this design keeps SRP.

- However, if you add features or new behavior, you must reconsider SRP.
  - What if you create load() that reads and stores book data from a database rather than a file?
  - □ What if you create show() that displays the contents of a book on the GUI(Graphical User Interface) screen instead of the console screen?




- "Software entities (class, module, etc) should be open for extension, but closed for modification."
- You should be able to extend a class behavior, without modifying it.
- Example: Assume a program that opens a door
  - There are three types of doors
    - Sliding door door that pushes open and close
    - Knob door door with a handle
    - Automatic door button type automatic door

#### Version 1


- Using the if-statement depending on the type of door
- However, if a new door is added, the code modification is inevitable.

if (door instanceof AutomaticDoor)
 client.pressOpen(door);
else if (door instanceof KnobDoor)
 client.twistOpen(door);
else if (door instanceof SlidingDoor)
 client.slideOpen(door);



#### □ Version 2


- Using polymorphism
- If a new door is added, you just add a new door class and override the open() method.



- Another example
  - BookManager.load() method
  - BookDataLoader class reads the data from the file.
  - BookDataLoaderFromDB class reads the data from the database.


- Version 1
  - Using the if-statement depending on the type of loader
  - if a new loader is added, the code modification is inevitable.

if (loader instanceof BookDataLoaderFromFile)
 manager.loadFromFile(loader);
else if (loader instanceof BookDataLoaderFromDB)
 manager.loadFromDB(loader);



- □ Version 2
  - Using polymorphism

#### loader.load();




- "Objects in a program should be replaceable with instances of their subtypes without altering the correctness of that program."
- Subtypes should be substitutable for their base types.
- Child classes should never break the parent class' type definitions.
- In other words, even if you do upcasting, there should be no problem.
- "a violation of LSP is a latent violation of OCP"

- Example: Rectangle and Square class
  - Square is a special kinds of rectangle.

Is the Square class really the subclass of the Rectangle class in

programming?




```
class Rectangle {
   private int width;
   private int height;
   public Rectangle(int w, int h) {
      width = w;
      height = h;
   public void setWidth(int w) { width = w; }
   public void setHeight(int h) { height = h; }
   public int getPerimeter() { return 2 * (width + height); }
```


```
class Square extends Rectangle {
   public Square(int w) {
      super(w, w);
   @Override
   public void setWidth(int w) {
      super.setWidth(w);
      super.setHeight(w);
  @Override
   public void setHeight(int h) {
      super.setWidth(h);
      super.setHeight(h);
```


```
class Main {
   public static void main(String[] args) {
      Rectangle r = new Rectangle(3, 5);
      System.out.println(r.getPerimeter()); // 16 (2*8)
      Square s = new Square(3);
      System.out.println(s.getPerimeter()); // 12 (2*6)
      r = s;
      r.setWidth(3);
      r.setHeight(5);
      System.out.println(r.getPerimeter()); // 20 (2*10)
```

■ Square cannot completely substitute Rectangle. The correct design should be both Rectangle and Square derive from a common Shape class.


- "Many client-specific interfaces are better than one general-purpose interface."
- □ "do not force any client to implement an interface which is irrelevant to them"
- Each interface should have a specific responsibility.









■ Interface Segregation



- "One should depend upon abstractions, not concretions."
- You should write a code that uses abstract classes or interfaces rather than concrete classes or methods that implement the functionality.
- What is a dependency between classes?
  - When one class performs a function, and needs a service of another class.
  - To become OCP, DIP must be satisfied basically.
- How do you distinguish between easy-to-change and hard-to-change?
  - Hard-to-change: "policy", "strategy"
  - Easy-to-change: "concrete way", "things"



■ Implementation of inheritance from concrete class



Apply DIP - Implementation of inheritance from abstract class

