

Color, Lighting

305890

Spring 2013

4/19/2013

Kyoung Shin Park


Overview

- Representing Color
- Vertex Colors
- Flat Shading, Gouraud Shading, Phong Shading
- Lighting
 - Light-Material Interaction
 - Diffuse/Ambient/Specular Lighting
 - Light sources: Point Light/Directional Light/Spot Light

Representing Colors

- Color structure
 - 4 (Red, Green, Blue, Alpha) value

```
public struct Color : IPackedVector<uint>,IPackedVector,IEnumerable<Color>
{
    public Color(Vector3 vector);
    public Color(Vector4 vector);
    public Color(float r, float g, float b);
    public Color(float r, float g, float b, float a);
    public static Color AliceBlue { get; }
    public static Color Cyan { get; }
    ....
}
```



VertexPositionColor

- Vertex structure include position and color to each vertex


```
public struct VertexPositionColor
{
    public Color Color;
    public Vector3 Position;
    public static readonly VertexElement[] VertexElements;

    public VertexPositionColor(Vector3 position, Color color);
    ...
};
```

Color Cube Demo

```
// vertex declaration
vertexDeclaration = new VertexDeclaration(graphics.GraphicsDevice,
                                           VertexPositionColor.VertexElements);

// create vertex
vertices = new VertexPositionColor[8];
vertices[0] = new VertexPositionColor(new Vector3(-1.0f, -1.0f, 1.0f), Color.White);
vertices[1] = new VertexPositionColor(new Vector3(-1.0f, 1.0f, 1.0f), Color.Black);
vertices[2] = new VertexPositionColor(new Vector3(1.0f, 1.0f, 1.0f), Color.Red);
vertices[3] = new VertexPositionColor(new Vector3(1.0f, -1.0f, 1.0f), Color.Green);
vertices[4] = new VertexPositionColor(new Vector3(-1.0f, -1.0f, -1.0f), Color.Blue);
vertices[5] = new VertexPositionColor(new Vector3(-1.0f, 1.0f, -1.0f), Color.Yellow);
vertices[6] = new VertexPositionColor(new Vector3(1.0f, 1.0f, -1.0f), Color.Cyan);
vertices[7] = new VertexPositionColor(new Vector3(1.0f, -1.0f, -1.0f), Color.Magenta);
// initialize VB allocating memory for each vertex
vertexBuffer = new VertexBuffer(graphics.GraphicsDevice,
                                 VertexPositionColor.SizeInBytes * (vertices.Length), BufferUsage.None);
// set VB data to the array of vertices
vertexBuffer.SetData<VertexPositionColor>(vertices);
```



Shading


- Shading is the process of determining the colors of the pixels in a primitive.
 - Flat shading: fills the polygon face with the first vertex color
 - Gouraud shading (smooth shading): interpolates the polygon face with the colors at each vertex (Default)



Gouraud Shading

□ Gouraud shading

- The color of a pixel is linearly **interpolated** using the **colors of all vertices** in the primitives




$$I_a = I_1 - (I_1 - I_2) \frac{y_1 - y_s}{y_1 - y_2}$$

$$I_b = I_1 - (I_1 - I_3) \frac{y_1 - y_s}{y_1 - y_3}$$






$$I_p = I_b - (I_b - I_a) \frac{x_b - x_p}{x_b - x_a}$$

Phong Shading

- Normal-vector interpolated shading
- Phong shading computes the normal vector for each pixel on the polygon



Flat, Gouraud, and Phong Shading




Lighting

- Light Components
- Materials
- Vertex Normals
- Light Sources

Light and Material Interaction

- When using lighting, we no longer specify vertex colors ourselves; rather, **we specify materials and lights**, and then, apply a lighting equation, which computes the vertex colors for us based on light/material interaction.
- **Materials** can be thought of as the properties that determine how light interacts with an object.
- We model **lights** by an additive mixture of red, green, and blue light (RGB); we can simulate many light colors.



Lighting Component

□ Light

- **Ambient light** – Ambient light comes from no particular direction. It reflects equally in all directions.
- **Diffuse light** – The basic lighting effects is diffuse lighting. The intensity of diffuse lighting depends on the orientation of the surface relative to the light source. Diffuse light is reflected equally in all directions.
- **Specular light** – Specular light is the light that is directly reflected off the surface to the camera. Its intensity depends on the orientation of the surface relative to camera, as well as to the light source.

Lighting Component

- Light source color representation using Color structure

```
Color redAmbient(1.0f, 0.0f, 0.0f, 1.0f); // alpha is not used in light
```

```
Color blueDiffuse(0.0f, 0.0f, 1.0f, 1.0f);
```


```
Color whiteSpecular(1.0f, 1.0f, 1.0f, 1.0f);
```

Materials

- ❑ Material properties define how a surface reflects light. Basically, they represent the surface color.
- ❑ *When lighting is active, the material is used instead of color.*
- ❑ MATERIAL
 - Surface diffuse/ambient/specular reflections
 - Emissive material (to make object appeared to be self-luminous)
 - Sharpness of specular reflection (higher value, smaller highlights)

Vertex Normal




- Normal
 - Lighting computation uses vertex normals
- Vertex structure
 - Use normals instead of colors



Vertex Normal

□ Face Normal

- Compute the normal vector of a triangle consisting of vertex p_0 , p_1 , p_2





Vertex Normal

□ Vertex Normal

- Vertex normal calculation using adjacent faces


$$v_n = \frac{1}{3}(n_0 + n_1 + n_2)$$



Diffuse Lighting

□ Lambert's Cosine Law

- θ between the normal and light vector
- Maximum intensity when the normal and light vector are perfectly aligned ($\theta = 0$)
- $f(\theta) = \max(\cos\theta, 0) = \max(L \cdot N, 0)$





Diffuse Reflection $\propto \cos \theta$

$$\text{Diffuse Reflection} = K_d I_d \cos \theta = K_d I_d (N \cdot L)$$

Light vector
Surface normal vector

I_d : diffuse light intensity


K_d : diffuse light coefficient



Diffuse Lighting

- Diffuse lighting calculation (viewpoint independent)

Incoming Light



$$\max(L \cdot N, 0) \cdot (L_a \otimes M_a)$$

L_a : diffuse light color

M_a : diffuse material color

L : light vector

N : vertex normal vector

Ambient Lighting

- Ambient lighting calculation


$$(L_a \otimes M_a)$$

L_a : ambient light color



M_a : ambient material color

Specular Lighting

- Specular lighting calculation (viewpoint dependent)



$$\bullet \vec{v} \quad (\max(V \bullet R, 0))^p \bullet (L_s \otimes M_s)$$



L_s : specular light color

M_s : specular material color

V : view vector

R : light reflection vector, $R = L - (2L \bullet N)N$

Point/Directional/Spot Light

□ Light sources


- Point light
- Directional light
- Spot light

$$L = \frac{(S - P)}{\|S - P\|}$$


L : light vector

S : point/directional light position


P : vertex position



Point light



Directional light



Spot light

Light Attenuation

□ Light attenuation

- Light intensity weakness as a function of distance based on the inverse square law.

$$I(d) = \frac{I_0}{d^2}$$

$$I(d) = \frac{I_0}{a_0 + a_1d + a_2d^2}$$

$$d = \|S - P\| \text{ (i.e., the distance between } P \text{ and } S)$$

Lighting with the BasicEffect class

□ Default Lighting

- `effect.EnableDefaultLighting();`

□ Custom Lighting

- `effect.LightEnabled = true;`
- `effect.DirectionalLight0.DiffuseColor = new Vector3(1, 0, 0); // red`
- `effect.DirectionalLight0.Direction = new Vector3(1, 0, 0);`
- `effect.DirectionalLight0.SpecularColor = new Vector3(1, 1, 0); // yellow`
- `effect.DirectionalLight0.Enabled = true; // can turn individual lights on/off`
- `effect.AmbientLightColor = new Vector3(0.2f, 0.2f, 0.2f);`
- `effect.EmissiveColor = new Vector3(1, 0, 0);`
- `effect.PreferPerPixelLighting = true; // per-pixel lighting`

HLSL: Ambient Light

```
struct VertexShaderInput {
    float4 Position : POSITION0;
};
struct VertexShaderOutput {
    float4 Position : POSITION0; // Transform to homogeneous clip space.
    float4 Color : COLOR0;
};
VertexShaderOutput VertexShaderFunction(VertexShaderInput input)
{
    VertexShaderOutput output;
    float4 worldPosition = mul(input.Position, World);
    float4 viewPosition = mul(worldPosition, View);
    output.Position = mul(viewPosition, Projection);
    float ambientIntensity = 1.0f;
    output.Color = ambientIntensity * AmbientColor;
    return output;
}
float4 PixelShaderFunction(VertexShaderOutput input) : COLOR0
{
    return input.Color;
}
```

HLSL: Ambient and Diffuse Light

```
struct VertexShaderInput
{
    float4 Position : POSITION0;
    float3 Normal : NORMAL0;
};
struct VertexShaderOutput
{
    float4 Position : POSITION0;           // transformed position
    float4 Color : COLOR0;
};
VertexShaderOutput VertexShaderFunction(VertexShaderInput input)
{
    VertexShaderOutput output;
    float4 worldPosition = mul(input.Position, World);
    float4 viewPosition = mul(worldPosition, View);
    output.Position = mul(viewPosition, Projection);
    float4 ambient = ambientIntensity * AmbientColor;
    float3 worldNormal = normalize(mul(input.Normal, World));
    float diffuseIntensity = saturate(dot(-LightDirection, worldNormal));
    float4 diffuse = diffuseIntensity * DiffuseColor;
    output.Color = diffuse + ambient;
    return output;
}
```

HLSL: Ambient, Diffuse, Specular Light

```
struct VertexShaderInput {
    float4 Position : POSITION0;
    float3 Normal : NORMAL0;
};
struct VertexShaderOutput {
    float4 Position : POSITION0;           // transformed position
    float4 Color : Color0;
};
VertexShaderOutput VertexShaderFunction(VertexShaderInput input)
{
    VertexShaderOutput output = (VertexShaderOutput) 0;
    float4 worldPos = mul(input.Position, World);
    float4 viewPos = mul(worldPos, View);
    output.Position = mul(viewPos, Projection); // transformed vertex position
    float3 worldNormal = normalize(mul(input.Normal, World));
    worldPos = worldPos/worldPos.w; // homogenous coord.
    float4 ambient = ambientIntensity * AmbientColor;
    float3 directionToLight = normalize(LightDirection - worldPosition.xyz); // L
    float diffuseIntensity = saturate(dot(directionToLight, worldNormal));
    float4 diffuse = diffuseIntensity * DiffuseColor;
```

HLSL: Ambient, Diffuse, Specular Light

```
// calculate a direct reflection vector for the light.  
// R = 2 * (N.L) * N - L (create our reflection shader)  
float3 reflectionVector = normalize(reflect(-directionToLight, worldNormal));  
float3 directionToEye = normalize(EyePosition - worldPosition.xyz);  
float4 specular = SpecularIntensity * SpecularColor  
                * pow(saturate(dot(reflectionVector, directionToEye)), SpecularPower);  
// return our final light equation  
output.Color = specularLightColor + diffuseLightColor + ambientLightColor ;  
output.Color.a = 1.0;  
return output;  
}
```